

ALBIA KAFE ANTZOKIA

San Vicente road, 2 48001 BILBO
Tlf. (+34)94-424 46 25 Fax. (+34)94-424 28 02
Booking office: (+34)94-424 61 07
<http://www.kafeantzokia.com/>

Tech Specs / Rider

PUBLIC ADDRESS

Aprox. Power: 8000 w.

2 x [JBL CSR82L](#) cabinets (2x18", 1600 w.).

4 x [JBL SRX725F](#) cabinets (2x15"+4", 1500 w.)

Power amps: 1x [CROWN MA5002VZ](#), (2x1775 w. for low frequency)

2 x [MPX 1200](#) (2x1200 w. for mid frequency)

2 x [MPX 300](#) (2x300 w. for high frequency)

This power system is configured in tree active ways, at the
[DBX DRIVE RACK 260](#) processor (**Do not touch!!**)
The crossover frequencys are 80 Hz and 1,2 kHz.

ALLEN HEATH GL3300 mixer:

36 channels (28 mono mic/line, 4 stereo mic/line)

At mono inputs 4 band EQ, 2 parametrics

HPF (100 Hz), phase rev., +48v.

8aux, 8 sub, L-R stereo out, A-B matrix out (whit fadder), mono out

Two stereo inputs whit fadder.

4 mute groups

46 sends + 6 returns (stage to FOH).

P.A. rack: [BSS FCS960](#) stereo EQ (30+30 bands)
4 x [DBX 166XL](#) stereo compressors
2 x [DBX 160A](#) mono compressors
[DRAWMER DS404](#) quad noise gate
[YAMAHA SPX2000](#) multieffect
[TC ELECTRONIC M-ONE](#) multieffect
[TC ELECTRONIC D-TWO](#) delay unit

MICS

Dinamic mics:

8 x SHURE SM-57

7 x SHURE SM-58

2 x AKG D-112

4 x SENNHEISER E 604

2 x SENNHEISER MD421

2 x SENNHEISER E906

Condenser mics:

3 x BEYER DINAMIC MCE 83

2 x RODE NT5

6 x BSS AR133 active DI box

FOLDBACK

[YAMAHA M7CL-32](#) digital mixer

Monitors

2 x [DAS PF-015](#) (300 w), whit JBL [MPX 300](#) power amplifier (2 x 200w/ 8 ohms)

2 x [JBL TR225](#) (400 w), whit JBL [MPX 600](#) power amplifier (2 x 400w/ 8 ohms)

4 x Electrovoice [QRx 115/75](#) whit CREST AUDIO amplifiers ([PL6001](#) and [PL8001](#) models)

2 x [ASD SM15](#) (400 W) with [JBL MPA 750](#) amplifier, Fly case.

1 Drumfill ASS (700 W).

4 rises 2 x 1 m. Heigth: 20-80 cm.

All the technical materials will be available for all the bands for a given night. There'll be no exclusivity for any band.

SOUND ENGINEER: JOTA +34 645729221

LIGHTING AND STAGE RIDER

(BILBAO KAFE ANTZOKIA)

SPOTS

4 moving lights Spot 575
4 PROFILE 14°/41° (1 kw.)
7 asimetric CODA (1kw.)
14 FRESNEL: PC lent (1 kw.)
24 PAR 64 (cp60, 1 kw.)
4 PAR 64 (cp 62) short nose floor cans
2 complete ACL (2kw.)
6 PINSPOT (30w.)

VARIOUS

2 MIRROR BALLS
6 FLOOR STANDS for spots
4 RISER 200X100cm, regulable legs

DIMMER

DIMMER ETC 36 chanel x 2, 5 KW
8 way BUFFER (DMX)

LIGHTING DESK

PEARL AVOLITES

STAGE

STAGE 8X8m (see plan on PDF)
BLACK DROPS: Back drop, 3 bambaline, 6 legs.
8 FLY BARS
3 FLY BARS with 12 sockets (dimmer outputs)
3 Boxes on floor with 6 sockets (dimmer outputs)
Front lighting gantry with 24 sockets (dimmer outputs)

TECHNICAL
OFFICE

EMAIL: teknikariak@kafeantzokia.com

LIGHTING ENGINEER: JOHN LUHMAN
0034656739806